



Data Paper

Biota from the coastal wetlands of Praia da Vitória (Terceira, Azores, Portugal): Part 3 - Birds

Sofia Goulart[‡], João Pedro Barreiros[§], Mariana R. Brito[‡], Sónia Santos[‡], César M.M. Pimentel[‡], Elisabete Nogueira[‡], Paulo Alexandre Vieira Borges[§]

[‡] LIFE CWR – LIFE project “Ecological Restoration and Conservation of Praia da Vitória Coastal Wet Green Infrastructures, Praia da Vitória, Azores, Portugal

[§] CE3C – Centre for Ecology, Evolution and Environmental Changes / Azorean Biodiversity Group and Universidade dos Açores, Faculdade de Ciências Agrárias e do Ambiente, Angra do Heroísmo, Azores, Portugal

Corresponding author: Paulo Alexandre Vieira Borges (pborges@uac.pt)

Academic editor: Cynthia Parr

Received: 06 Mar 2019 | Accepted: 10 May 2019 | Published: 28 May 2019

Citation: Goulart S, Barreiros J, Brito M, Santos S, Pimentel C, Nogueira E, Borges P (2019) Biota from the coastal wetlands of Praia da Vitória (Terceira, Azores, Portugal): Part 3 – Birds. Biodiversity Data Journal 7: e34327.

<https://doi.org/10.3897/BDJ.7.e34327>

Abstract

Background

The data presented here come from field observations of Aves between August 2013 and October 2018 as part of a LIFE research project aiming to preserve and restore three coastal wetlands from Praia da Vitória (Terceira Island, Azores, Portugal). Systematic monthly observations were carried out for five years in order to provide a checklist and monitoring of bird species and subspecies observed in three sites: Paul da Praia da Vitória (PPV), Paul do Belo Jardim (PBJ) and Paul da Pedreira do Cabo da Praia (PPCP). Main objectives were to determine their ornithological richness while also adding data to the overall knowledge of Azorean Avifauna and to monitor seasonal and between-year variation on species abundance.

New information

During a five-year observation period (2013-2018), a total of 82,985 birds belonging to 108 species/subspecies were observed. From this, 16,663 were in PPV, 11,793 from PBJ and 54,529 from PPCP. The total richness was 55, 40 and 85, respectively. Three species are first records for the Azores: *Aythya americana* (Eyton, 1838); *Chlidonias leucopterus* (Temminck, 1815) and *Tringa brevipes* (Vieillot, 1816). One species is a new record for Terceira Island: *Lophodytes cucullatus* (Linnaeus, 1758).

Keywords

Aves, Azores, Terceira, Wetlands, Ornithofauna.

Introduction

The Azorean Avifauna has been described in several publications, the most recent being Rodrigues et al. (2010), Rodebrand (2012) and Barcelos et al. (2015). Despite the fact that the Azorean list of breeding birds is short (37 species breeding and seven occasionally nesting; Rodrigues et al. 2010), as a consequence of dramatic extinction events (Rando et al. 2013, Alcover et al. 2015, Rando et al. 2017), those publications added numerous records of non-breeding landbird and waterbird species, particularly occasional migrant and wintering species. Those novelties are a consequence of an increase in birdwatching activity on several Azorean islands and an increased interest in rare Nearctic birds arriving to Azores (Alfrey et al. 2018), due to storms that divert birds from their normal migratory routes.

Three coastal wetlands from the municipality of Praia da Vitória (Terceira Island, Azores, Portugal) - *Paul da Praia da Vitória* (PPV), *Paul do Belo Jardim* (PBJ) and *Paul da Pedreira do Cabo da Praia* (PPCP) – were studied during the LIFE – Coastal Wetlands Restoration Project and are known as a high avifauna site attracting birdwatchers and which include an important number of species (Dias et al. 1991, Morton et al. 1997, Morton et al. 1998, Melo and Dias 2005, Pereira and Melo 2017). Pereira and Melo (2017) published a field guidebook on the bird species occurring in PPCP, highlighting the particular importance of this wetland for migrant species and regular and occasional wintering birds.

This manuscript is the third contribution in a series of papers that characterise the biota of the three coastal wetlands from this area (Borges et al. 2018, Gabriel et al. 2019).

General description

Purpose: The aim of this work is to inventory the avifauna present in the three coastal areas of Praia da Vitória (Terceira Island, Azores), focused on the LIFE-CWR Project, Paul da Praia da Vitória (PPV) (Fig. 1), Paul do Belo Jardim (PBJ) (Fig. 2) and Paul da Pedreira do Cabo da Praia (PPCP) (Fig. 3), in order to improve our knowledge on the bird diversity that occurs in this area, detect eventual new species for the Azores and monitor seasonal and between-year variation on species abundance.



Figure 1. [doi](#)

General aspect of Paul da Praia da Vitória (Photo by Paulo A.V. Borges).



Figure 2. [doi](#)

General aspect of Paul Belo Jardim (Photo by Paulo A.V. Borges).



Figure 3. [doi](#)

General aspect of Paul da Pedreira do Cabo da Praia (PPCP) (Photo by Paulo A.V. Borges).

Project description

Title: Inventory of bird species in three coastal wetlands from Terceira Island (Azores)

Personnel: The inventory was conducted during five years between August 2013 and October 2018 by experienced birdwatchers: Sofia Goulart, Mariana R. Brito and Sónia Santos.

Study area description: Terceira Island (area: 400.6 km²; elevation: 1,021.14 m) is one of the nine islands of the Azores archipelago, located in the North Atlantic, roughly at 38° 43'49"N 27°19'10"W (Forjaz et al. 2004). The climate in the Azores is temperate oceanic, with regular and abundant rainfall, high levels of relative humidity and persistent western winds, mainly during the winter and autumn seasons (Azevedo et al. 1999).

Sampling methods

Study extent: This study covers a small coastal area with 3.58 km extension between PPV and PPCP.

Sampling description: At the three wetland sites, more than 788 days of observations were carried out for a total of ca. 11,820 h of direct observations. Each observation lasted 15 minutes in which every sighted bird was registered. These were made by experienced birdwatchers (two to three researchers in the field each day) using a Swarovski 20-60 telescope and Opticron Verano HD 10-42 binocular. Photographs were made with a Canon 60D camera (a database and Photo repository is available at <http://lifecwr.com/index.php/>

[pt/observacao/registros-de-observacao/registros-de-observacao-2](#)). Whenever needed, several field-guides were used (e.g. Pereira 2010, Mularney et al. 2012), as well as websites on Azorean birds, namely [AVES DOS AÇORES](#), [Azores bird sightings](#) and [Birding Azores](#).

Geographic coverage

Description: Praia da Vitória marshes, Terceira Island (Azores), Macaronesia, Portugal.

Coordinates: 38°42'09"N and 38°44'12"N Latitude; 27°03'46"W and 27°02'39"W Longitude.

Taxonomic coverage

Description: Aves

Temporal coverage

Notes: Data range: August 2013 – October 2018.

Usage rights

Use license: Creative Commons Public Domain Waiver (CC-Zero)

Data resources

Data package title: LIFE_CWR_TER_Aves

Resource link: http://ipt.gbif.pt/ipt/resource?r=azores_birds

Alternative identifiers: <http://islandlab.uac.pt/software/ver.php?id=34>

Number of data sets: 1

Data set name: Birds from Praia da Vitória marshes (Terceira, Azores, Portugal)

Download URL: http://ipt.gbif.pt/ipt/resource?r=azores_birds

Data format: Darwin Core Archive

Data format version: version 1

Description: In this data table, we include all the records for which a taxonomic identification of the species was possible. The dataset submitted to GBIF is structured

as a sample event dataset, with two tables: event (as core) and occurrences. The data in this sampling event resource have been published as a Darwin Core Archive (DwCA), which is a standardised format for sharing biodiversity data as a set of one or more data tables. The core data table contains 2003 records. One extension data table also exists. An extension record supplies extra information about a core record. The number of records in each extension data table is illustrated in the IPT link. This IPT archives the data and thus serves as the data repository. The data and resource metadata are available for downloading in the downloads section. The versions table lists other versions of the resource that have been made publicly available and allows tracking changes made to the resource over time. In Suppl. material 1, we provide a simpler dataset with few columns in a single table.

Column label	Column description
<i>Table Event</i>	Table Event
id	Unique identifier
type	Type of the record, as defined by the Public Core standard
licence	Reference to the licence under which the record is published
InstitutionID	The identity of the institution publishing the data
InstitutionCode	The code of the institution publishing the data
datasetName	Name of the dataset
eventID	Identifier of the events, unique for the dataset
eventDate	Date or date range the record was collected
startDayOfYear	The earliest ordinal day of the year on which the Event occurred (1 for 1 January, 365 for 31 December, except in a leap year, in which case it is 366)
year	Year
month	Month
day	Day
islandGroup	Archipelago of the sampling site
island	Island of the sampling site
country	Country of the sampling site
countryCode	ISO code of the country of the sampling site
county	Name of the county
locality	Name of the locality
minimumElevationInMeters	Minimum elevation in metres
maximumElevationInMeters	Maximum elevation in metres

Column label	Column description
verbatimCoordinates	Original coordinates recorded
decimalLatitude	Approximate centre point decimal latitude of the field site in GPS coordinates
decimalLongitude	Approximate centre point decimal longitude of the field site in GPS coordinates
geodeticDatum	The reference point for the various coordinate systems used in mapping the earth
Table Occurrences	Table of Occurrences
id	Unique identifier
modified	Date of the last modification of the record
language	A language of the resource
basisOfRecord	The nature of the data record
occurrenceID	Identifier of the record, coded as a global unique identifier
catalogNumber	Record number of the specimen in the collection
recordedBy	Name of the person who performed the sampling of the specimens
individualCount	Total number of individuals captured
organismQuantity	Total number of individuals captured, as numeric
organismQuantityType	The unit of the identification of the organisms
eventID	Identifier of the events, unique for the dataset
identifiedBy	Name of the person who made the identification
dateIdentified	Date on which the record was identified
scientificName	Complete scientific name including author and year
kingdom	Kingdom name
phylum	Phylum name
class	Class name
order	Order name
family	Family name
genus	Genus name
specificEpithet	Specific epithet
infraspecificEpithet	Infraspecific epithet, when available
taxonRank	Lowest taxonomic rank of the record
scientificNameAuthorship	Name of the author of the lowest taxon rank included in the record

Additional information

We observed and identified 82,985 birds belonging to 26 families, including 108 species or subspecies. Families Scolopacidae (32 species) and Anatidae (24 species) were the most diverse while three species corresponded to 47.8% of all observed/identified birds (Table 1): *Calidris alba* (18,856), *Charadrius alexandrinus alexandrinus* (10,726) and *Arenaria interpres* (10,074). The Order Charadriformes, with 63,671 individuals observed, corresponds to 75.7% of all birds from this work (Table 1). This abundance of waders is certainly an expected feature on wetlands. Eleven species were represented by a single individual observation and 38 by ten or less individuals.

Table 1.

List of Aves and their abundance in the three coastal wetlands of Praia da Vitória, Terceira Island, Azores, Portugal (*Paul da Praia da Vitória* (PPV), *Paul do Belo Jardim* (PBJ) and *Paul da Pedreira do Cabo da Praia* (PPCP), indicating Order, Family and both breeding status (b) and colonisation status (END – endemic from Azores; MAC – endemic from Macaronesia; n = native non-endemic; i = introduced).

Order	Family	Taxon	Status	PPV	PBJ	PPCP	Total
Anseriformes	Anatidae	<i>Aix galericulata</i>				1	1
Anseriformes	Anatidae	<i>Aix sponsa</i>		1			1
Anseriformes	Anatidae	<i>Anas acuta</i>		302	1	96	399
Anseriformes	Anatidae	<i>Anas americana</i>		1237		33	1270
Anseriformes	Anatidae	<i>Anas carolinensis</i>				9	9
Anseriformes	Anatidae	<i>Anas clypeata</i>		1			1
Anseriformes	Anatidae	<i>Anas crecca</i>		94		235	329
Anseriformes	Anatidae	<i>Anas discors</i>		117		147	264
Anseriformes	Anatidae	<i>Anas penelope</i>		689		30	719
Anseriformes	Anatidae	<i>Anas querquedula</i>		14		16	30
Anseriformes	Anatidae	<i>Anas strepera</i>		22			22
Anseriformes	Anatidae	<i>Anser cygnoides</i>		37			37
Anseriformes	Anatidae	<i>Aythya affinis</i>		295		1	296
Anseriformes	Anatidae	<i>Aythya americana</i>		27			27
Anseriformes	Anatidae	<i>Aythya collaris</i>		531	6	38	575
Anseriformes	Anatidae	<i>Aythya ferina</i>		12		3	15
Anseriformes	Anatidae	<i>Aythya fuligula</i>		654		7	661

Order	Family	Taxon	Status	PPV	PBJ	PPCP	Total
Anseriformes	Anatidae	<i>Aythya marila</i>		296			296
Anseriformes	Anatidae	<i>Branta bernicla</i>		7		3	10
Anseriformes	Anatidae	<i>Branta canadensis</i>		8			8
Anseriformes	Anatidae	<i>Bucephala clangula</i>				5	5
Anseriformes	Anatidae	<i>Clangula hyemalis</i>		4			4
Anseriformes	Anatidae	<i>Lophodytes cucullatus</i>		64			64
Anseriformes	Anatidae	<i>Tadorna tadorna</i>				14	14
Charadriiformes	Charadriidae	<i>Charadrius alexandrinus alexandrinus</i>	b / n	7	529	10190	10726
Charadriiformes	Charadriidae	<i>Charadrius hiaticula</i>			9	964	973
Charadriiformes	Charadriidae	<i>Charadrius semipalmatus</i>			2	124	126
Charadriiformes	Charadriidae	<i>Pluvialis apricaria</i>				18	18
Charadriiformes	Charadriidae	<i>Pluvialis dominica</i>				14	14
Charadriiformes	Charadriidae	<i>Pluvialis fulva</i>				18	18
Charadriiformes	Charadriidae	<i>Pluvialis squatarola</i>			225	2970	3195
Charadriiformes	Charadriidae	<i>Vanellus vanellus</i>				3	3
Charadriiformes	Haematopodidae	<i>Haematopus ostralegus</i>				1	1
Charadriiformes	Laridae	<i>Chroicocephalus philadelphia</i>				1	1
Charadriiformes	Laridae	<i>Chroicocephalus ridibundus</i>		95	425	71	591
Charadriiformes	Laridae	<i>Larus argentatus</i>			2		2
Charadriiformes	Laridae	<i>Larus delawarensis</i>			12		12
Charadriiformes	Laridae	<i>Larus fuscus</i>			153		153
Charadriiformes	Laridae	<i>Larus glaucoides glaucoides</i>			13	1	14
Charadriiformes	Laridae	<i>Larus hyperboreus</i>			7	1	8
Charadriiformes	Laridae	<i>Larus marinus</i>			70	2	72
Charadriiformes	Laridae	<i>Larus michahellis atlantis</i>	b / END	171	8893	731	9795
Charadriiformes	Laridae	<i>Rissa tridactyla</i>		2	4	2	8
Charadriiformes	Scolopacidae	<i>Actitis hypoleucos</i>		3	1	14	18
Charadriiformes	Scolopacidae	<i>Actitis macularius</i>				3	3
Charadriiformes	Scolopacidae	<i>Arenaria interpres</i>			7	10067	10074
Charadriiformes	Scolopacidae	<i>Calidris alba</i>		5	370	18481	18856

Order	Family	Taxon	Status	PPV	PBJ	PPCP	Total
Charadriiformes	Scolopacidae	<i>Calidris alpina</i>				557	557
Charadriiformes	Scolopacidae	<i>Calidris bairdii</i>				15	15
Charadriiformes	Scolopacidae	<i>Calidris canutus</i>				902	902
Charadriiformes	Scolopacidae	<i>Calidris ferruginea</i>				671	671
Charadriiformes	Scolopacidae	<i>Calidris fuscicollis</i>				381	381
Charadriiformes	Scolopacidae	<i>Calidris mauri</i>				2	2
Charadriiformes	Scolopacidae	<i>Calidris melanotos</i>				98	98
Charadriiformes	Scolopacidae	<i>Calidris minuta</i>				355	355
Charadriiformes	Scolopacidae	<i>Calidris minutilla</i>				46	46
Charadriiformes	Scolopacidae	<i>Calidris pusilla</i>		1		556	557
Charadriiformes	Scolopacidae	<i>Calidris temminckii</i>				4	4
Charadriiformes	Scolopacidae	<i>Gallinago delicata</i>				2	2
Charadriiformes	Scolopacidae	<i>Gallinago gallinago gallinago</i>	b / n	1		22	23
Charadriiformes	Scolopacidae	<i>Limnodromus griseus</i>				101	101
Charadriiformes	Scolopacidae	<i>Limnodromus scolopaceus</i>				3	3
Charadriiformes	Scolopacidae	<i>Limosa lapponica</i>				197	197
Charadriiformes	Scolopacidae	<i>Limosa limosa</i>			1	2761	2762
Charadriiformes	Scolopacidae	<i>Numenius phaeopus hudsonicus</i>				6	6
Charadriiformes	Scolopacidae	<i>Numenius phaeopus phaeopus</i>		21		474	495
Charadriiformes	Scolopacidae	<i>Phalaropus fulicarius</i>		2		84	86
Charadriiformes	Scolopacidae	<i>Phalaropus lobatus</i>				23	23
Charadriiformes	Scolopacidae	<i>Philomachus pugnax</i>				629	629
Charadriiformes	Scolopacidae	<i>Tringa brevipes</i>				15	15
Charadriiformes	Scolopacidae	<i>Tringa flavipes</i>		2		79	81
Charadriiformes	Scolopacidae	<i>Tringa glareola</i>				3	3
Charadriiformes	Scolopacidae	<i>Tringa nebularia</i>				16	16
Charadriiformes	Scolopacidae	<i>Tringa totanus</i>		2		210	212
Charadriiformes	Scolopacidae	<i>Tryngites subruficollis</i>				2	2
Charadriiformes	Sternidae	<i>Chlidonias leucopterus</i>				1	1
Charadriiformes	Sternidae	<i>Sterna dougallii dougallii</i>	b / n		1		1

Order	Family	Taxon	Status	PPV	PBJ	PPCP	Total
Charadriiformes	Sternidae	<i>Sterna hirundo hirundo</i>	b / n	91	376	275	742
Charadriiformes	Sternidae	<i>Thalasseus sandvicensis</i>			2		2
Ciconiiformes	Ardeidae	<i>Ardea cinerea</i>		713	8	35	756
Ciconiiformes	Ardeidae	<i>Ardeola ralloides</i>		3			3
Ciconiiformes	Ardeidae	<i>Bubulcus ibis</i>		2	3		5
Ciconiiformes	Ardeidae	<i>Egretta garzetta</i>		67	19	25	111
Ciconiiformes	Threskiornithidae	<i>Platalea leucorodia</i>				5	5
Ciconiiformes	Threskiornithidae	<i>Plegadis falcinellus</i>		9			9
Columbiformes	Columbidae	<i>Columba livia</i>	b / i	25	185	272	482
Columbiformes	Columbidae	<i>Columba palumbus azorica</i>	b / END	76	43	5	124
Columbiformes	Columbidae	<i>Streptopelia decaocto decaocto</i>	b / n	1	8	127	136
Coraciiformes	Alcedinidae	<i>Megaceryle alcyon</i>		5			5
Falconiformes	Accipitridae	<i>Buteo buteo rothschildi</i>	b / END	43	4	44	91
Falconiformes	Falconidae	<i>Falco tinnunculus</i>				2	2
Falconiformes	Pandionidae	<i>Pandion haliaetus</i>		1			1
Galliformes	Phasianidae	<i>Coturnix coturnix conturbans</i>	b / n		10		10
Gaviiformes	Gaviidae	<i>Gavia immer</i>			5	1	6
Gruiformes	Rallidae	<i>Fulica atra</i>	b / n	5077			5077
Gruiformes	Rallidae	<i>Gallinula chloropus</i>	b / n	2930	2	5	2937
Passeriformes	Emberizidae	<i>Plectrophenax nivalis</i>				1	1
Passeriformes	Estrildidae	<i>Estrilda astrild</i>	b / i	367	18	147	532
Passeriformes	Fringillidae	<i>Carduelis carduelis parva</i>	b / i	196	13	19	228
Passeriformes	Fringillidae	<i>Serinus canaria canaria</i>	b / MAC	61	136	88	285
Passeriformes	Hirundinidae	<i>Hirundo rustica</i>				9	9
Passeriformes	Motacillidae	<i>Motacilla cinerea patriciae</i>	b / END	4	35	65	104
Passeriformes	Passaridae	<i>Passer domesticus domesticus</i>	b / i	164	61	347	572
Passeriformes	Sturnidae	<i>Sturnus vulgaris granti</i>	b / END	151	41	339	531
Passeriformes	Sylviidae	<i>Sylvia atricapilla gularis</i>	b / END	22		13	35
Passeriformes	Turdidae	<i>Erithacus rubecula rubecula</i>	b / n	1			1
Passeriformes	Turdidae	<i>Turdus merula azorensis</i>	b / END	1950	72	176	2198

Order	Family	Taxon	Status	PPV	PBJ	PPCP	Total
Procellariiformes	Procellariidae	<i>Calonectris borealis</i>	b / n	1			1
		Abundance		16663	11793	54529	
		Species Richness		55	40	85	

Of all observed species, three are not referred to in Barcelos et al. (2015), which is the most recent update on the list of Azorean birds: *Aythya americana* (Eyton 1838), *Chlidonias leucopterus* (Temminck 1815) and *Tringa brevipes* (Vieillot 1816). One species is a new record for Terceira Island: *Lophodytes cucullatus* (Linnaeus 1758). *Aythya americana* is a Nearctic occasional migrant duck, *Chlidonias leucopterus* is a Palearctic tern and *Tringa brevipes* is a shorebird breeding in northeast Siberia. All other species have previously been recorded at several levels of relative abundance, both as breeding native (ten taxa), breeding Azorean endemic (seven taxa), breeding Macaronesian endemic (one taxon), breeding introduced (four taxa) and vagrant (87 additional taxa) (Table 1). About 15 out of the 21 breeding species are common with more than 100 individuals recorded in the three sites. Based on the Barcelos et al. (2015) classification of vagrant species, in the three sites we found: 45 occasional migrants, 21 regular migrants, 17 occasional wintering taxa and 26 regular wintering taxa. The Palearctic taxa dominate the community of birds (52 taxa), whereas Holarctic (28 taxa) and Nearctic (25 taxa) have similar but with half of the frequency.

Acknowledgements

This research was supported by the project LIFE CWR – Ecological Restoration and Conservation of Praia da Vitória Coastal Wet Green Infrastructure (2013-2018). Many thanks also to Rui Figueira for the creation of the Darwin Core Archive.

Open access was funded by FEDER in 85% and by Azorean Public funds by 15% through Operational Program Azores 2020, under the project AZORESBIOPORTAL – PORBIOTA (ACORES-01-0145-FEDER-000072).

Author contributions

EN conceived the original Project. JPB and PAVB conceived and drafted the manuscript. SG, MRB, SS and CP collected the data and identified the species. PAVB organised the final database. All the authors revised and contributed to the final text.

References

- Alcover J, Pieper H, Pereira F, Rando J (2015) Five new extinct species of rails (Aves: Gruiformes: Rallidae) from the Macaronesian Islands (North Atlantic Ocean). Zootaxa 4057 (2): 151-190. <https://doi.org/10.11164/zootaxa.4057.2.1>
- Alfrey P, Monticelli D, Legrand V, Birders C (2018) Nearctic vagrants on Corvo, Azores, in 2005-17. Dutch Birding 40: 297-317. URL: https://www.researchgate.net/publication/328639036_Nearctic_vagrants_on_Corvo_Azores_in_2005-17
- Azevedo EB, Pereira LS, Itier B (1999) Modelling the local climate in island environments: water balance applications. Agricultural Water Management 40: 393-403. [https://doi.org/10.1016/s0378-3774\(99\)00012-8](https://doi.org/10.1016/s0378-3774(99)00012-8)
- Barcelos L, Rodrigues P, Bried J, Mendonça E, Gabriel R, Borges PAV (2015) Birds from the Azores: An updated list with some comments on species distribution. Biodiversity Data Journal 3: e6604. <https://doi.org/10.3897/bdj.3.e6604>
- Borges PAV, Gabriel R, Pimentel C, Brito M, Serrano ARM, Crespo LC, Assing V, Stüben P, Fattorini S, Soares A, Mendonça E, Nogueira E (2018) Biota from the coastal wetlands of Praia da Vitória (Terceira, Azores, Portugal): Part 1 - Arthropods. Biodiversity Data Journal 6: e27194. <https://doi.org/10.3897/bdj.6.e27194>
- Dias E, Gabriel R, Borges PAV (1991) Estudo Bio-Ecológico do Paúl da Praia da Vitória e área envolvente (ilha Terceira, Açores). [Bio-ecological study of Paúl da Praia da Vitória and surrounding area (Terceira Island, Azores)]. Universidade dos Açores, Angra do Heroísmo.
- Forjaz VH, Tavares J, Azevedo EB, Rodrigues M, Gonçalves J, Nunes J, Santos R, Barreiros JP, Gallagher L, Barcelos PJM, Silva PH, Cardigos F, França ZTM, Dentinho T, Costa MP, Magalhães L, Rodrigues MC, Silva V, Magalhães L (2004) Atlas Básico dos Açores. [The Azores Basic Atlas]. 2nd Edition. Observatório Vulcanológico e Geotérmico dos Açores, Ponta Delgada, Azores, Portugal. [ISBN 9789729746642 9729746648]
- Gabriel R, Pimentel CMM, Claro D, Brito MR, Díaz-Castillo J, Sérgio C, Sim-Sim M, Borges PAV (2019) Biota from the coastal wetlands of Praia da Vitória (Terceira, Azores, Portugal): Part 2 – Bryophytes. Biodiversity Data Journal.
- Melo C, Dias E (2005) Projecto Recuperar o Paul: Caracterização da comunidade de aves do Paul da Praia. [Description of bird community of Paul Praia Vitória]. Universidade dos Açores, Angra do Heroísmo, Azores, 40 pp.
- Morton B, Britton JC, Martins AMF (1997) The former marsh at Paúl, Praia da Vitória, Terceira, Açores, and the case for the development of a new wetland by rehabilitation of the quarry at Cabo da Praia. Açoreana 8 (3): 285-307. URL: <http://www.cmpv.pt/minisites/life/ficheiros/Morton+Britton+Martins%201997.pdf>
- Morton B, Britton JC, Martins AMF (1998) Coastal Ecology of the Açores. Sociedade Afonso Chaves, Ponta Delgada, Azores.
- Mullarney K, Svensson L, Zetterstrom D (2012) Guia das Aves . [Bird Guide]. 2nd. Assírio & Alvim, Lisboa, 433 pp. [ISBN 978-972-37-1963-5]
- Pereira C (2010) Aves dos Açores. [Birds of Azores]. 1st. SPEA, Sociedade Portuguesa para o Estudo das Aves , Lisboa, 128 pp. [ISBN 978-989-8259-02-8]
- Pereira C, Melo C (2017) As aves do Cabo da Praia – um tesouro a descobrir, um património a preservar. [The birds of Cabo da Praia - a treasure to discover, a heritage to

- preserve]. Letras Lavadas, Edições, Ponta Delgada, Açores, 130 pp. [ISBN 978-989-20-6867-1]
- Rando JC, Alcover JA, Olson SL, Pieper H (2013) A new species of extinct scops owl (Aves: Strigiformes: Strigidae: *Otus*) from São Miguel Island (Azores Archipelago, North Atlantic Ocean). *Zootaxa* 3647 (2): 343-357. <https://doi.org/10.11646/zootaxa.3647.2.6>
 - Rando JC, Pieper H, Olson SL, Pereira F, Alcover JA (2017) A new extinct species of large bullfinch (Aves: Fringillidae: *Pyrrhula*) from Graciosa Island (Azores, North Atlantic Ocean). *Zootaxa* 4282 (3): 567-583. <https://doi.org/10.11646/zootaxa.4282.3.9>
 - Rodebrand S (2012) Checklist of the birds of the Azores including 2012. <http://sr-oland.se/onewebmedia/checklist.pdf>. Accessed on: 2019-2-21.
 - Rodrigues P, Bried J, Rodebrand S, Cunha R (2010) Aves. In: Borges PAV, Cunha A, Gabriel R, Gonçalves V, Martins AF, Melo I, Parente M, Raposeiro P, Rodrigues P, Santos RS, Silva L, Vieira P, Vieira V (Eds) A list of the terrestrial and marine biota from the Azores. Príncipia, Cascais, 432 pp. URL: http://islandlab.uac.pt/fotos/publicacoes/publicacoes_Listagem_ml.pdf [ISBN 978-989-8131-75-1].

Supplementary material

Suppl. material 1: LIFE_CWR_Birds [doi](#)

Authors: Goulart S et al.

Data type: Occurrences and abundances

Brief description: In this contribution, we present detailed data on the distribution and abundance of species belonging to several groups of arthropods in three Terceira island (Azores) wetlands: Paul da Praia da Vitória (PPV), Paul do Belo Jardim (PBJ) and Paul da Pedreira do Cabo da Praia (PPCP).

[Download file](#) (1.69 MB)